

# 8 Arm Chandelier Assembly Instructions

## Step 1

Thread crown nut onto 9cm threaded tube and attach 3pc crystal cluster via hole on end of crown nut.



## Step 2

Place small end of decorative washer into hub crystal



## Step 3

Place small end of hub crystal against underside of steel hub. Using item from step 1 insert up through hub crystal and through steel hub. Fasten hand tight with 2.3cm slotted nut.



## Step 4

Attach 8 arms to center hub. Insert wires from arm through hole in center hub and place retaining nut over wires and secure tightly. Repeat until all 8 arms are securely attached and do not twist easily.



## Step 4

Twist wires clockwise 1 from each arm together to form 2 separate groups of 8 wires. You may find it easier to first twist in pairs or fours then complete the set of 8.



## Step 6

Insert power cord through end attachment on 40cm hanging chain and 10cm chrome tube threaded on each end.



## Step 7


Slide 1 tube cap backwards, 25cm chrome tube and 1 tube cap forwards onto power cord. **DO NOT ASSEMBLE YET**



# 8 Arm Chandelier Assembly Instructions

## Step 8

Insert power cord through hole on center hub cap and through 3.5cm threaded tube



## Step 9

Insert cord down through slotted coupling nut and feed approximately 8 inches of wire through matching the approximate length of the 2 wire clusters

Note: you will usually end up with 1 black and 1 white set of wires, however occasionally all wires may be of the same color.



## Step 10

Twist 1 end of the power cord wire to 1 of the 8 wire bunched created in step 5. Remember to twist the wires in a clockwise direction. Secure wire ends with wire nuts by twisting on end of wires in clockwise direction until a slight resistance is felt. Small cable ties or electrical tape can be used to aid in the securing of the wire groups.



## Step 11

Place crystal dish on each arm and slide chrome over light socket. Note: Install light bulbs and plug chandelier in to test that all 8 lights function. If not it may be necessary to recheck wire and plug connections. Proceed to step 12 when all lights work.



## Step 12

Tuck wires to inside of center hub taking care not to leave and wires protruding where they may be pinched when installing cap.



## Step 13

Feed 3.5cm threaded tube down power cord and finger tighten onto exposed end of slotted coupling nut until slightly touches power cord.



## 8 Arm Chandelier Assembly Instructions

### Step 14

Install center hub cap – again insure no wires are pinched between cap and hub. Secure hub lid hand tight using first tube cap and screwing onto 3.5cm tube part protruding out from hub cap.



### Step 15

Thread all remaining components back towards plug end one at a time until single piece is achieved – hand tighten securely.

Now twist the assembly counter clockwise approximately 6-8 turns. this will induce some torque into the power cord. Lower down onto steel hub until threads connect and making sure power cords is not encumbered allow the twist to release from the counter rotation while at the same time threading onto tube cap. Hand tighten just until firm. Don't worry if you twist 1 or 2 turns into the wire the other direction during this step it is quite common.



### Step 16

Install quick link onto end of 40cm hanging chain and insert cord through quick link and tighten



Proceed to crystal assembly and installation.